EFENDITEV. G.B.; MELIKOV, M.M.; ASHRAFOV, M.A.; DANITELYANTS, A.A.

Azerbaijan machine manufacturers are facing new problems. Azerb. neft. khoz. 39:28-31 Ap '60. (MIRA 13:11) (Azerbaijan--Oil fields--Equipment and supplies)

EFENDIYEV, G.E.

Efficient use of three-roller bits with different types of reinforcement. Azerb.neft.khoz. 41 no.2:40-42 F 162.

(MIRA 15:8)

(Oil well drilling-Equipment and supplies)

EFENDIYEV, G.E.

Wear of the teeth of roller bits. Azerb.neft.khoz. 41 no.51
39-42 My '62. (MIRA 16:2)
(Oil well drilling—Equipment and supplies)
(Mechanical wear)

23358 5/058/61/000/006/046/063 A001/A101

9.4120 (1003, 1140)

AUTHOR:

Efendiyev, O.I.

TITLE :

The magnetic field effect on the nature of anode oscillations in

discharge in inert gases

PERIODICAL:

Referativnyy zhurnal. Fizika, no. 6, 1961, 344, abstract 6Zh128 ("Uch. zap. Azerb. un-t. Fiz.-matem. i khim. ser.", 1958, no. 2, 19-

25. Russian summary)

TEXT:

The author investigated the effect of a weak (up to 900 cersted) magnetic field applied to an ancde region, on anode oscillations. It is shown that in the case of low pressures, ordered oscillation become less ordered after the application of a magnetic field. At relatively high pressures (0.4 mm Hg), magnetic field considerably increases oscillation frequency, without changing their shape. The curves of dependence of oscillation amplitude and frequency on magnetic field are presented. The author presents also the curves of changes in anode voltage drop; they have a minimum shifting towards weak magnetic fields at increasing gas pressure. The magnetic field effect on the oscillation characteristics is explained by the mechanism proposed by the author earlier (RZhFiz, 1958,nc.7, 16063).

[Abstracter's note: Complete translation]

S/058/63/000/001/050/120 A160/A101

EFENDIYEY, G. 1.

AUTHOR: Efendijev, O. I.

TITLE: The possibility of a formation of traveling layers in a mercury discharge

PERIODICAL: Referativnyy shurnal, Fizika, no. 1, 1963, 11, abstract 1052 ("Uch. zap. Azethijan un-t. Ser. Fiz.-matem. n.", no. 5, 1961, 137 - 144, Azerbaijan; summary in Russian)

TEXT: Investigated was the condition of a formation of traveling layers in a low-pressure mercury discharge at direct current. The experiments were conducted in an arc discharge in Hg vapors with a liquid cathode in a wide range of a pressure change $4.89 \cdot 10^{-3} \div 2.54 \cdot 10^{-2}$ mm of the mercury column) and discharge current $(0.1 \div 7 \text{ a})$. The results of the investigation revealed that traveling layers do not arise in pure Hg vapors. There are even no possibilities of producing them artificially by acting on the various parts of the discharge. When contaminating the Hg vapors with molecular gas, both traveling and stationary layers will simultaneously arise. The traveling layers move in the positive column with a non-

The possibility of a formation of ...

8/058/63/000/001/050/120 A160/A101

constant speed. With the help of the external alternating electric field it is possible to synchronize the irregular traveling layers existing in the discharge. Hereby, the layers become most sharp. Even in impure mercury vapors the traveling layers are not always observed. The appearance of traveling layers not only depends on the impurity degree, but also on the discharge conditions. The traveling layers generally arise in a narrow region of the discharge currents. Their values depend on the pressure of the mercury vapors. The frequency, the length and the speed of the traveling layers are to be found in the intervals of 1,000 - 5,000 ops, 4 - 10 cm and 100 - 500 m/sec respectively.

[Abstracter's note: Complete translation]


Card 2/2

TEVOSOV, S.P.; ZUL'FUTAROV, Z.G.; DANILOVA, N.A.; EFENDIYEV, G., redaktor

[Desorption of iodine from coal by electrochemical methods]
Elektrokhimicheskii metod desorbtsii ioda s uglia. Baku, Izd-vo
Akad. nauk Azerbaidzhanskoi SSR, 1951. 54 p. (MLRA 7:11)

(Todine) (Electrochemistry, Industrial)

"APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412010007-6





BFENDIYEV, G.Kh.; TIL'MAN, A.L., red.izd-va; POGOSOV, V.A., tekhn.red.

[Hydrothermal ore complex in the northeastern part of the Lesser Caucasus; mineralogy and geochemistry] Gidrotermal'nyi rudnyi kompleks severo-vostochnoi chasti Malogo Kavkasa; mineralogiia i geokhimiia. Baku, Isd-vo Akadanauk Azerbaidzhanskoi SSR, 1957. 342 p. (MIRA 15:2)

(Caucasus-Ore deposits)

"APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412010007-6

ZEYNALOV, B.K.; EFENDIYEV, G.Kh.; ARDULLAYEVA, E.E.; GANF, K.L.

Azerbaijan copals. Report No.1. Trudy Inst. khim. AN Azerb.

SSR 16:46-62 '57. (MIRA 12:9)

(Azerbaijan--Copal)

ZEYNALOV, B.K.; EFENDIYEV, G.Kh.; GASANOVA, G.A.; ALIYEVA, E.

Azerbaijan copals. Report No.2. Trudy Inst.khim. AN Azerb.

SSR 16:63-80. '57. (MIRA 12:9)

(Azerbaijan-Gopal)

EFENDIYEV, G. KH

21N/5 622.1 .E2

Cidrotermal'nyy rudnyy kompleks severo-vostochnoy chasti malogo Kavkaza: Mineralogiya i geokhimiya Hydrothermal ore complex in the north-west part of the Lesser Caucasian Mountains: Minerology and geo-chemistry Baku, Izd-vo. ANazSSR, 1957.

346 p. diagrs., illus., tables. Bibliography: p. 291-299. At head of title-page: Akademiya Nauk Azerbaydzhanskoy SSR, Baku. Institut Geologii.

EFENDIYEV, G.Kh.

Geochemistry of germanium. Izv.AN Azerb.SSR.Ser.Fiz-tekh. i khim. nauk. no.1:73-82 '58. (MIRA 12:3)

GEYDAROV, A.S.; EFENDIYEV, G.Kh.

Geochemistry of molybdenum in natural waters. Uch. zap. AGU no.1: 95-102 '58. (MIRA 12:1) (Water--Composition) (Molybdenum)

ABDULLAYEV, R.N.; AZIZERKOV, Sh.A.; HAYRAMALIHEYLI, M.T.; KASHKAY, M.A.; KERIMOV, A.D.; KERIMOV, G.I.; MUSTAFAREYLI, M.A.; SITKOVSKIY, I.M.; SHIRVANZADE, I.A.; SHIKHALIHEYLI, M.Sh.; EFENDIYEV, G.Kh.

Principal metallogenetic characteristics of Azerbaijan [with summary in English]. Sov. geol. 1 no.4:98-110 Ap '58. (MIRA 11:6)

1.Geologicheskiy institut AN AzerSSR.
(Azerbaijan--Ore deposits)

EFENDIYEV, G.Kh.; RZAZADE, P.F.

Extraction of boron from waste brines. Dokl. AN Azerb. SSR 14 no.2:109-114 158. (MIRA 11:4)

1. Institut khimii AN AzerSSR. Predstavleno akademikom AN AzerSSR M.F. Nagiyevym.

(Boron) (Extraction (Chemistry))

NURIYEV, A.N.; EFENDIYEV, G.Kh.

Radioactive elements in reservoir waters of Azerbaijan oil fields. Azerb.khim.shur. no.1:35-43 59.

(MIRA 13:6)

(Azerbaijan-Oil field brines-Analysis)

(Radioactive substances-Analysis)

RFENDIYEV, G.Kh.; ALEKPEROV, R.A.

Studying the distribution of uranium in the system petroleum-aqueous solutions. Aserb.khim.shmr. no.2:137-143 '59. (MIRA 13:6)

(Uranium) (Petroleum)

S/081/62/000/003/028/090 B150/B101

AUTHORS:

Efendiyev, M. Kh., Nuriyev, E. N., Heyrerov, E. S.

TITLE:

The distribution of uranium in the Dalidag intrusive massif

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 3, 1962, 123, abstract 3063 (Uch. zap. Azerb. un-t Geol. geogr. ser., no. 6, 1959,

TEXT: In the bi-phase intrusive massif 144 samples were selected in which the content of uranium was determined. Ranges obtained: $(0.5-10)\cdot 10^{-4}$

in average content in primary phase rocks, 2.6-10⁻⁴%, in rocks of the second phase 4.58·10⁻⁴%. The dependence is established of the concentration of U upon the acidity of the rocks. A study is made of the distribution of U in rock-forming minerals. In leucocratic minerals its content is low, but it increases in proportion with the increase in volume of the quartz-feldspar mass. Nevertheless, in all 37 - 40,5 of all the U contained in the rocks is contained in these minerals. The remaining portion of U card 1/2

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010007-6

The distribution of uranium...

note: Complete translation.

\$/081/62/000/003/028/090 B150/B101

Card 2/2

"APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412010007-6

Geochemistry of molybdenum in the Dali-Dag intrusive (Lesser Caucasus). Izv.AN Azerb.SSR. Ser.geol.-geog.nauk no.6:91-101

(Caucasus--Molybdenum)

(MIRA 15:4)

EFENDIYEV, G.Khl; NURIYEV, A.N. Interface distribution of redium and uranium (petroleum - water).

Azerb,khim,zhur, no.6:105-108 '59. (MIRA 14:9) Azerb.khim.zhur. no.6:105-108 '59. (Petroleum--Analysis)

(Radium-Analysis) (Uranium-Analysis)

3(5), 5(2) AUTHORS:

Alekperov, R. A., Efendiyev, G. Kh. SOV/7-59-6-4/17

TITLE:

On the Uranium Content in Petroleums

PERIODICAL:

Geokhimiya, 1959, Nr 6, pp 513 - 517 (USSR)

ABSTRACT:

56 samples from various tertiary series of Azerbaydzhan were investigated. Uranium was separated according to P. N. Zharov's method and determined by luminescence analysis. The contents vary considerably between 0.2 and 50.0 microgram uranium per

liter petroleum and 1.0 and 500.10⁻⁴ % uranium in ash respectively (Table). In this connection the correlation between the uranium- and ash contents of the petroleums were determined (Table, Fig 1). Furthermore, the uranium content of the accompanying bed waters were determined. A diagram comparing the uranium content in water with the uranium content in petroleum shows (Fig 2) that petroleum contains generally more uranium, especially in hard calcium-magnesium-chloride waters. The extraction of uranium from petroleum by solutions of CaCl₂,

MgCl₂, NaCl, and NaHCO₃ of a varying degree of intensity was experimentally investigated (Fig 3). The diagram shows that the extracted amount of uranium decreases with the given order of

Card 1/2

On the Uranium Content in Petroleums

SOV/7-59-6-4/17

salt solutions. Finally, the origin of uranium is investigated. In this connection the mother substance of petroleum or the surrounding sediments are considered as the origin. In the region of Apsheron the latter contain 4.1 to 2.55.10⁻⁴ % uranium. It is difficult to decide which of the two factors prevails. Papers by V. A. Unkovskaya, J. J. Clagoczowski, Academician V. I. Vernadskiy, A. N. Nuriyev, F. A. Alekseyev, V. I. Yermakov, V. A. Filonov, V. I. Baranov, A. B. Ronov, and K. G. Kunssheva are mentioned. There are 3 figures, 1 table, and 10 references, 8 of which are Soviet.

ASSOCIATION:

Institut khimii AN AzerbSSR, Baku (Institute of Chemistry of the AS Azerbaydzhanskaya SSR)

SUBMITTED:

March 3, 1959

Card 2/2

ALEKPEROV, R.; EFENDIYEV, G.Kh.

Form in which uranium is found in certain kerogen shales.

Dokl. AN Azerb. SSR 15 no.9:821-824 '59. (MIRA 13:2)

1. Predstavleno akademiko: AN Azerbaydshanskoy SSR M.F. Nagiyevym. (Uranium) (Shale)

S/081/61/000/022/040/076 B110/B101

AUTHORS:

Efendiyev, G. Kh., Karayev, Z. Sh.

TITLE:

Extraction of selenium from slimes by the sulfide method

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 22, 1961, 281, abstract

22K48 (Azerb. khim. zh., no. 5, 1960, 99-106)

TEXT: The authors give results of Se extraction from slimes of a sulfuric acid plant operating by the contact process. The slime contains a small amount of PbSO₄. The method of Se extraction from slimes by sodium sulfide is based on formation of an unstable compound of the type Na₂SSe between Se and sodium sulfide; this compound decomposes readily with separation of elementary Se. Under established conditions, the degree of extraction is 98-99% of the Se content in the slime. The authors discuss the chemism of Se separation from the selenium sulfide complex in Na₂S solution. [Abstracter's note: Complete translation.]

Card 1/1

8/137/62/000/005/03¹/150 A006/A101

AUTHORS:

Karayev, Z. Sh., Efendiyev, G. Kh.

TITLE:

Extracting selenium with ammonium sulfide from slimes as a means

of obtaining pure selenium

PERIODICAL:

Referativnyy zhurnal, Metallurgiya, no. 5, 1962, 19, abstract 50115

("Azerb. khim. zh.", 1961, no. 5, 119 - 123, Azerb. summary)

TEXT: A batch of crushed and dried slime was placed in the reactor. A corresponding volume of a $(HN_{\parallel})_2S$ solution was added. Reaction $(NH_{\parallel})_2S + xSe = (NH_{\parallel})_2SSe_x$ proceeds at room temperature. Slime processing with $(NH_{\parallel})_2S$ solution was conducted in a hermetically sealed unit. The Se suspension was mixed in the $(NH_{\parallel})_2S$ -solution for 2 - 4 minutes by passing N_2 through the solution upwards at a rate of 20 l/hour. After completed processing of the slime, the solution was filtered off from the solid residue. At a 30% Se content in the slime, the Se maximum yield (96 - 98%) is attained at a molecular ratio Se : $(NH_{\parallel})_2S = 1$: 6. Separation of Se out of the solution was performed by various means: with the aid of thermal decomposition of $(NH_{\parallel})_2SSe$, decomposition by air; and separation-

Card 1/2

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010007-6

Extracting selenium with...

S/137/62/000/005/034/150 A006/A101

out of Se by holding the solution in open air. The purity of Se obtained is on the average about 99.00%.

Q. Svodtseva

[Abstracter's note: Complete translation]

Card 2/2

SHIK, E.I.; EFENDIYEV, G.Kh.

Radioactive chemical elements in mineral waters of Chukhuryurd springs. Trudy İnst.khim.AN Azerb. SSR 19:130-134 '61.

(MIRA 14:10)

(Chukhuryurd—Radioactive substances)

"APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412010007-6

Forms of relybdenum recurring in rocks. Truly Instablis. If Amerb. OSt. 19:135-153 to. (Nolybdenum)

ALIKHANOV, E.N.; ARUSHANOV, N.A.; AKHUNDOV, V.Yu.: ALIZADE, M.A.; AZIZBEKOV, Sh.A.; BAGIROV, M.A.; VEZIROV, S.A.; VOLOBUYEV, V.R.; VEKILOV, F.M.; GADZHIYEV, N.M.; GUBEYNOV, D.M.; GUSEYNOV, I.A.; DADASHEV, K.K.; DADASHZADE, M.A.; DALIN, M.A.; ISKENDEROV, M.A.; KAZIYEV, M.A.; KARAYEV, A.I.; KASHKAY, M.S.; KEL'DYSH, M.V.; KERIMOV, A.G.; LEMBERANSKIY, A.D.; MAMEDOV, G.K.; MEKHTIYEV, M.R.; MIRZOYEV, S.A.; NAGIYEV, M.F.; NASRULLAYEV, N.I.; OGUDZHEV, A.K.; RADZHABOV, R.A.; RUDNEV, K.N.; SADYKHOV, R.N.; SEMENOV, N.N.; TOPCHIYEV, A.V.; TOPCHIBASHEV, M.A.; TAIROVA, T.A.; KHALILOV, Z.I.; EFENDIYEV. G.Kh.; SHUKYUROVA, Z.Z.

IUsif Geidarovich Mamedaliev. Azerb.khim.zhur. no.6:5-6 '61. (MIRA 15:5) (Mamedaliev, IUsif Geidarovich, 1905-1961)

ALIKHANOV, E.N.; ARUSHANOV, N.A.; AKHUNDOV, V.Yu.; ALIZADE, M.A.; AZIZBEKOV, Sh.A.; EAGIROV, M.A.; VEZIROV, S.A.; VOLOBUYEV, V.R.; EEKILOV, F.M.; GADZHIYEV, N.M.; GUSEYNOV, D.M.; GUSEYNOV, I.A.; DADASHEV, E.K.; DADASHZADE, M.A.; DALIN, M.A.; ISKENDERÖV, M.A.; KAZIYEV, M.A.; KARAYEV, A.I.; KASHKAY, M.S.; KEL'DYSH, M.V.; KERIMOV, A.G.; LEMBERANSKIY, A.D.; MAMEDOV, G.K.; MEKHTIYEV, M.R.; MIRZOYEV, S.A.; NAGIYEV, M.F.; NESRULLAYEV, N.I.; ORUDZHEV, A.K.; RADZHALOV, R.A.; RUDNEV, K.N.; SADYKHOV, R.N.; SEMENOV, N.N.; TOFCHIYEV, A.V.; TOPCHIBASHEV, M.A.; TAIROVA, T.A.; KHALILOV, Z.I.; FFENDIYEV, G.Kh.; SHUFYUROVA, Z.Z.

EFENDIYEV, G.Kh.; NURIYEV, A.N.

APPROVED FOR RELEASE: 08/22/2000

Radioactive elements of the uranium and thorium series in oil field formation waters. Azerb.khim.zhur. no.2:113-117 '62. (MIRA 16:3)

(Oil field brines) (Uranium-Decay) (Thorium-Decay)

CIA-RDP86-00513R000412010007-6"

EFENDIYEV, G.Kh.; ALEKPEROV, R.A.

Use of naphthenic acids as extractants of metals to recover from aqueous solutions. Azerb. khim. zhur. no.3:117-124 '62. (MIRA 16:12)

Oxogallates of the elements of the cerium subgroup. Azerb.khim.shur.
no.5:119-124 '62. (MIRA 16:5)

(Cerium compounds) (Gallium oxides)

EFENDIYEV, G.Kh.; ALEKPEROV, R.A.

Extraction of selenium and tellurium from sulfuric acid sludges by chlorination in an anhydrous medium. Dokl. AN Azerb. SSR 18 no.5:15-20 '62. (MIRA 15:7)

l. Institut khimii AN AzSSR. Predstavleno akademikom AN AzSSR M.F. Nagiyevym.
(Selenium) (Tellurium)
(Sulfuric acid industry--By-products)

EFENDIYEV, G.Kh.; NURIYEV, A.N.

Leaching of uranium and radium from clara, Azerb.khim.zhur. no.4: 103-107 '63. (MIRA 17:2)

..

Reaction of selenides of gallium and a lanthanide (arium and samarium of the type A2IIIB3VI. G. Kh. Efendiyev, E. Sh. Karayev, I. O. Nasilov.

Solid solutions in the quasibinary systems Ga2S3-Ga2Te3 and Ga2S3-Ga2Se3.

P. G. Rustanov, 8. I. Mardakhayev, E. Melikova, M. Alidzhanov,

M. Safarov. (Presented by G. Kh. Efendiyev--10 minutes).

Chemical bonding, structure of the energy zones and some properties of G. F. Karavayev (10 minutes).

Report presented at the 3rd National Conference on Semiconductor Compounds, Kishinev, 16-21 Sept 1963

APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412010007-6"

8

MAMEDOV, Z.M.; EFFNDIYEV, G.Kh.

New minerals of the Paragachayskoye deposit. Dokl. AN Azerb. SSR 19 no.10:35-38 '63. (MIRA 17:6)


1. Institut khimii AN AzSSR.


EFENDIYEV, G.Kh.; ALEKPEROV, R.A.; NURIYEV, A.N.; ZUL'FUGARLY, D.I., prof., red.

[Problems in the geochemistry of radioactive elements in oil fields] Voprosy geokhimii radioaktivnykh elementov neftianykh mestorozhdenii. Baku, Izd-vo AN Azerb.SSR, 1964. (MIRA 17:7)

EFENDIYEV, G.Kh.; KARFYEV, Z.Sh.; NASIBOV, I.O.

Interaction of samarium and gallium selenides A''2 BV 3.
Azerb. khim. zhur. no.1:125-131 '64. (MIRA 17:5)







EFENDIYEV, G.Kh.; KARAYEV, Z.Sh.; NASIBOV, I.O.

Interaction of AIII2BVI3 type cerium and gallium selenides. Izv. AN SSSR. Ser. fiz. 28 no.6:1103-1106 Je 164.

1. Institut khimii AN Azerbaydzhanskoy SSR.


(MIRA 17:7)






Interaction of the selenidal wo of neodymium and gallium.

Azerb. khim.zhur. no.4:111-114 164. (MIRA 18:3)







EFENDIYEV, G. Wh. MOVROUND, M.A.; GEYDAROV, A.S.

Geochemistry of thallium in the pyrite-complex metal type deposit. Izv.AN Azerb.SSR. Ser.geol.-geog.nauk no.1:30-38 65.

(MIRA 18:8)





EFENDIYEV, G.Kh.; GEYDAROV, A.S.; MUSTAFAYEV, G.V.

Gaochemistry of lithium, rubidium, and cesium in the granitoids of the Lesser Caucasus. Izv. AN Azerb. SSR. Ser. geol.-geog. nauk no.3:44-51 '65. (MIRA 18:9)

EFENDIYEV, G.Kh.; SHIK, E.I.

Find of gallium in oil field waters. Geokhimila no.3:371-372 Mr 165. (MIRA 18:7)


1. Institut khimii AN AzerbSSR, Baku.


EFENDIYEV, G.Kh.; MAMEDOV, Z.M.; AGAYEVA, F.

Geochemistry of selenium and tellurium in copper-molybderam deposits. Dokl. AN Azerb. SSR 21 no.2:28-32 165.

(MIRA 18:5)

1. Institut khimii AN AzerSSR.





Selenium and tellurium in pyrites. Azerb. khim. zhur. nc.2: 95-97 165. (MIR/ 28:12)

L. Institut khimii AN AzerSSR. Submitted Jan. 15, 1965.

EFFENDIYEV, G.S., Cand Phys-Eath Sci — (dire) "tudy of points of branching and length of solution of a class of non-linear integro-differential equations." Bake, 1959. 12 pp (Min of Higher -ducation USSR. Azerbaydzhan State U im S.M. Kirov).

100 copies (KL, 39-59, 101)

12

EFENDIYEV. G.S.

A theorem of a single-valued extension of the solution of a class of nonlinear integrodifferential equations. Uch. sap. AGU. Fis.-mat. i khim. ser. no. 2:23-36 '59. (MIRA 13:12) (Integral equations)

EFENDIYEV, G.S.

Many-valued extensibility of the solution of one class of nonlinear integrodifferential equations. Uch. zap. AGU Fiz.-mat. i khim ser. no.319-24: 59. (MIRA 14:3)

Card 1/2

L 13237-63 IJP(C) S/044/63/000/003/034/047 EWT(d)/FCC(w)/BDS AFFTC AUTHOR: Efendiyev, G. S. TITLE: On some properties of solutions of one class of nonlinear integrodifferential equations Referativnyy Zhurnal, Matematika, no. 3, 1963, 69, Abstract 3B312 (Uch. Zap. Azerb. Un-t. Ser. Fix. -Matem. i Khim. Nauk, no. 4, 1961, 47-57). The author examines the integro-differential equation TEXT: $F(x, u(x), \chi) = \int_{\Omega} g(\chi, x, s, u(s), ..., u^{(n)}(s))ds.$ (1)It is assumed that $F(x, u_0, x_0)$ and $g(x, x, s, u_0, u_1, \dots, u_n)$ are n times differentiable in respect of x, and that they are continuous along with the derivatives in respect to s. x; in addition F_k and g_k , where

. L 13237-63

\$/044/63/000/003/034/047

On some properties of solutions....

$$F_k = \frac{\partial^k F}{\partial_x^k}$$
 and $g_k = \frac{\partial^k F}{\partial_x^k}$ (k = 0, 1, 2, ..., n) are analytic in \mathcal{N} , u_0

u1. ..., u . Equation (1) is reduced to the system

$$F_k(x, u_0(x), x) = \int_0^1 g_k(x, x, s, u_0(s), u_1(s), ..., u_n(s)) ds.$$
 (2)

It is assumed that when $\lambda = \lambda_0$ the system (2) has the solution $U_0(x) = (u_{00}(x), u_{10}(x), \ldots, u_{n0}(x))$ and sufficient conditions are established such that in some neighborhood of the point λ_0 the system (2) has the unique solution $U(x, \lambda)$ continuous for x and analytic for λ .

[Abstracter's note: Complete translation.]

Card 2/2

EFENDIYEV, G.T.

Changes in the blood picture during the acclimatization of Brown Latvian Cattle imported into Azerbaijan. Trudy Sekt. fiziol. AN Azerb. SSR 4:80-87 '60. (MIRA 15:1) (AZERBAIJAN DAIRY CATTLE) (BLOOD ANALYSIS AND CHEMISTRY) (ACCLIMATIZATION)

A STATE OF THE STA

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010007-6

EFENDIYEV. I.

PA 48/49T55

USSR/Medicine - History Mar/Apr 49
Medicine - Medicine, in Armenia

"Review of L. A. Oganesyan's Book, 'History of Medicine in Armenia,'" I. Effendiyev, 5 pp

"Sov Zdravookhran" No 2

Subject book is a remarkable and instructive medical work. However, book contains substantial errors and shortcomings, which collectively lead to a distortion of facts regarding Armenian medical history.

:48/49755

EFENDIYEV, I. K.

"In Honor of the Centennial Anniversary of I.P.Pavlov," Sov. zdrav., No.li,

- 1. EFENDIYEV, I. K.
- 2. USSR (600)
- 4. Avicenna, 9807-1037
- 7. Abu-Aly al-Husayn Ibn-Abudullah ibn Sina (Avicenna). I. K. Efendiyev. Fel'd.a akush No. 6 1952.
- 9. Monthly List of Russian Accessions, Library of Congress, September 1952. UNCLASSIFIED.

EFENDIYEY, I.K ..

- 1. YEFENDIYEV, I. K.
- 2. USSR (600)
- 4. Avicenna, 980?-1037
- 7. Abu-Ali Ibn-Sinna's (Avicenna's) views on psychoneurology. Shur. nevr. i psikh 52 no. 10, 1952

9. Monthly List of Russian Accessions, Library of Congress, January 1953, Unclassified.

EFENDIYEV, I.K., doktor med. mauk; EFENDIYEV, E.M., prof., red.; SULTANOV, M.S., red.

[History of medicine in Azerbaijan from ancient times to the 19th century] Istoriia meditsiny v Azerbaidzhane s drevneishikh vremen do XIX veka. Baku, Izd-vo AN Azerb.SSR, 1964. 277 p. (MIRA 17:8)

"APPROVED FOR RELEASE: 08/22/2000

CIA-RDP86-00513R000412010007-6

PREDITE, K. I.: "Investigation of anode oscillations in mes disclarge." Published by the Amerbaydzhan U. Min Higher Education USSI. Azerbaydzhan State U imeni S. N. Kirov. Moscou, 1076. (Discertation for the Degree of Candidate in Physicomathematical Science.)

Knizhnaya letopis', No. 30, 1956. Moscow.

efendiyev, K.I.

Anodic fluctuations in arc discharges through mercury vapors.

Report No.1. Uch.sap.AGU. no.8:9-22 157. (MIRA 11:11)

(Electronic discharges through gases) (Mercury)

EFENDIYEV, K.I.

Anodic fluctuations in discharges through inert gases. Uch.zap.

AGU no.9:23-40 *57. (NIRA 11:11)

(Electric discharges through gases)

(Gases, Rare)

24(3), 9(4)

SOV/48-23-8-17/25

AUTHORS:

Zaytsev, A. A., Efendiyev, K. I.

TITLE:

An Investigation of Anode Oscillations in Low-pressure Dis-

charges

PERIODICAL:

Izvestiya Akademii nauk SSSR. Seriya fizicheskaya, 1959,

Vol 23, Nr 8, pp 1012-1016 (USSR)

ABSTRACT:

Anode oscillations in electric-arc discharges in mercury vapor were investigated by the authors on a liquid cathode, as well as discharges in rare gases by using an oxide cathode. By investigation of the discharge in mercury vapor, the action of the geometric shape of the anode on the oscillation was studied. For this purpose a three-section electrode, a pin electrode, and a cylinder electrode were used. It was found that ancde oscillations occur sooner for smaller dimensions of the anode, and that for this case a more or less ordered oscillation results, if the luminescence contracts at any spot of the anode surface. The oscillation is further investigated, and it is finally pointed out that a pressure drop in mercury vapor and an increase of the discharge current amplifies the amplitude of oscillation. In the diagrams of figures 1 and 2 the influence

Card 1/3

507/48-23-8-17/25

An Investigation of Anode Oscillations in Low-pressure Discharges

of pressure on the amplitude of the anode oscillation and the amount of the anode drop is represented for investigations in rare gases. As stated by the values of table 1, the diminution of the anode causes an increase of the amplitude and of the frequency of the anode oscillation. The investigations show that the anode drop is steady for pressures of above 3.10-1 torr, but holds an oscillation below this pressure. Further, the effect of the kind of gas on the anode oscillation is investigated, and it was found that frequency decreases with ancreasing gas mass. The two forms of the anode drop already described by Langmuir are discussed, and it is finally found that the range of the anode is unsteady for a small anode, and that the anode drop exhibits an oscillation. This oscillation is said to be a relaxation oscillation and causes a periodic change of the gas conductivity at the cathode. This oscillation is not accompanied, however, by a wavelike process expanding over the whole positive column. There are 5 figures, 2 tables, and 5 references, 4 of which are Soviet.

Card 2/3

SOV/48-23-8-17/25

An Investigation of Anode Oscillations in Low-pressure Discharges

Moskovskiy gos. universitet im. M. V. Lomonosova, Fizicheskiy fakul'tet (Moscow State University imeni M. V. Lomonosov, Department of Physics) ASSOCIATION:

Card 3/3

EFENDIYEV, K.I.

Possible occurrence of moving striations in a mercury discharge.
Uch. zap. AGU. Ser. fiz.-mat. i khim. nauk no.5:137-144 '61.

(MIRA 16:6)

(Electric discharges through gases)

PRAZYAN, I., kand. ekon. nauk; EFENDIYEV, Kh., red.

[The Transcaucasian Economic Region] Zakavkazskii ekonomicheskii raion. Baku, Azerbaidzhanskoe gos. izd-vo,
1964. 61 p. (MIRA 18:5)

1. Chlen Obshchestva "Znaniye" Azerbaydzhanskoy SSR (for Prazyan).

KADYROVA, T.K.; EFENDIYEV, M., red.; MUSTAFAYEVA, S., red.; BAGIROVA, S., tekhn. red.

[Leucosis and the nervous system; clinical and morphological studies]Leikozy i nervnaia sistema; kliniko-morfologicheskie issledovaniia. Baku, Azerbaidzhanskoe gos.izd-vo, 1961. 229 p. (MIRA 16:2)

(NERVOUS SYSTEM_DISEASES) (LEUKEMIA)

"APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412010007-6

EFEIDIEV, K. E.

20389 EFENDIEV. N. E. Diagnoz malyarli v mezhretsi livnyy period. Tavestiya Abad. nauk Azerbaydzh. SSR, 1909, No. 7, S. 05-53. - Rezyure na azerbaydzh. Yaz.

50: Letopis, No. 32, 1949.

ENDIYEV, M. E.		58/49768
	2 2241555	
	Intravenous inject cointies, presides affective in Treatments affective in a menute in treatment of mains daily inject endent of the kidney region of the kidney	Wedicine Wedicine Wedicine Whe Internal Or Dir, Second Cli Path of Interna Assaora, B. Bag Rustambekova, S Icoal Path of I Med Inst, Baku,
	A TO COLUMN TO SERVICE	Medicir Medicir Medicir Mee of Interna Second of Interna Sambekov Inst, B
	4 to 12 to 13 to 1	Medicine - Medicine - Wedicine - Use of Bro Internal Or Second Cli of Interna ora, B. Bag nabekova, S I Path of I
	To Hand Hand	Bros Bros COLL
	Intravenous injection of a 10% sedium broads clution, prepared in a 40% glusces solution, about a positive effect in 23 of 25 broadial attent cases. Treatment of gastric and ducleus effective in a majority of cases. Hest results in treatment of hypertonia were obtained a mains daily injections of a 10% sodium broadis solution in conjunction with disthermy in the region of the kidneys.	USER/Medicine - Diseases, Internal Teb 1 Organs Medicine - Bromides, Effect of "The Use of Bromides in Certain Diseases of the Internal Organs," Prof M. E. Effendiyer, bir, Second Clinic of Diagnosis and Local Path of Internal Organs F. Ali-Zade, T. Asadova, B. Bagirova, Sh. Kasumov, D. Rustambekova, Second Clinic of Diagnosis and Rustambekova, Second Clinic of Diagnosis and Local Path of Internal Organs, Azerbaydzhan Med Inst, Baku, 4 pp
	Big file	Constant of the constant of th
		in Ger Prof Diagn Sh. H Clinic
	in of 10% sedims break a 10% glaces solution, a 10% glaces solution, at 12% of 2% breachial set im 2% of 2% breachial ent of gastule and duoiss (together with stropine)	Internal Effect of Certain Disearor M. E. Mea Lagnosis and I. F. Ali-Zade, h. Kasumov, D. inic of Diagno Organs, Arerbe
	F-3- E-0 0 2	Dia and a series
	and the street of the street o	readity of London, T. D. D. gasel
	m bro	
	sees solution, of 25 broublish tric and hodensl with stropine) cases. Best 10% sodium bromids in the lathermy in the	38 5
	8 F	ું 🖰 💮

EFENDIYEV, M.E. professor

"Health resorts in Aserbaijan." Sh.M. Gasanov. Heviewed by M.E. Efendiev. Vop.kur.fisioter. i lech.fis.kul't. no.3:74-75 J1-Sp (MLRA 8:8)

(AZERBAIJAN-HEALTH RESORTS, WATERING PLACES, ETG.)
(GASANOV, Sh.M.)

ETENPIYEV, M.E.

DZHAMALBEKOV, B.A.; EFENDIYEV, N.E., professor, redaktor; VARSHAVSKAYA, A., redaktor; DZHAHANOVA, S., tekhnicheskiy redaktor.

[Mardakyany health resort] Kurort Mardakiany. Baku, Azerbaidahanakoe goz.izd-vo, 1956. 80 p. (MIRA 10:11) (MARDAKYANY) (HEALTH RESORTS, WATERING PLACES, ETC.)

"APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412010007-6

PERMOTERY, N. E.

First sonference of therapeutists of the Azerbaijanian S.S.R.
Terap.arkh. 28 no.5:86 '56.
(AZERBALJAN—THERAPEUTICS)

(MLRA 9:10)

I / I // D/// U// E. EFENDIYHV, H.E., prof.; REDALOVA, S.M., kand.med.nauk (Baku)

Erysimine as a cardiovascular durg. Klin.med. 35 [i.e.34] no.1 Supplement:10 Ja '57. (MIRA 11:2)

EFENDIYHV, M.E., prof., BEDALOVA, S.M., kand.med.nauk

Cymarin therapy in cardiac insufficiency. Azerb.med.zhur. no.5:85-88
My 58
(MIRA 11:6)

l. Iz II kafedry propedevtiki i vnutrnnikh bolezney (zav. - prof. M.E. Efendiyev) Azerbaydzhanskogo gosudarstvennogo meditsinskogo instituta.im. W. Earimanova.

(CYMARIN)

(BLOOD-CIRCULATION, DISORDERS OF)

EFENDIYEV, M.E., prof. zaslyzhenyy deyatel nauki

Conservative therapy in chronic inflammations of the biliary tract.
Agerb.med.zhur. no.9151-53 158 (MIRA II:11)

1. Iz kafedry propedevtiki vnu trennikh bolezney (zav. - zasluzhennyy deyatel' nauki prof. M.E. Efendiyev) Azerbaydzhanskogo gosudarstvenaego meditsinskogo instituta im. N.Narimanova (direktor - zasluzhennyy deyatel' nauki prof. B.A. Eyvazov.)

(BILIARY TRACT--DISEASES)

EFENDIYEV, M.E., prof.

Azerbaijanian physicians in the past. Azeb.med.zhur. no.11:80-83 N 159. (MIRA 13:4)

BEFANDLYHV. H.E. prof.; BHDALOVA, S.M., kand.med.nauk; AKHUNDOV, D.K., kand. med.nauk (Baku)

Hffect of mountain conditions on arterial pressure. Klin.med. 37 no.7:59-62 J1 159. (HIRA 12:10)

1. Is kafedry propedevtiki vmitrennikh bolezney Azerbaydzhanskogo meditsinskogo instituta imeni N. Marimanova. 2. Zasluzhennyy deyatel nauki Azerbaydzhanskoy SSR (for Bfendiyev).

(BLOOD PRESSURE physiol.)

(AMTITUDE eff.)

SAMEDOV, S.I.; STRIGUNOV, I., red.; EFENDIYEV, M.E., red.; AKHMEDOV, S., tekhn. red.

[Public health in Iranian Azerbaijan on the eve of and during the period of the national liberation and democratic movement, 1945-1946] Zdravookhranenie v Iranskom Azerbaidzhane nakamme i v period natsional no-osvoboditel nogo i demokraticheskogo dvizheniia, 1945-1946 g. Baku, Azerbaidzhanskoe gos. izd-vo, 1960. 146 p. (MIRA 14:7) (IRAN-PUBLIC HEALTH)

"APPROVED FOR RELEASE: 08/22/2000 CIA-RDP86-00513R000412010007-6

EFENDIYEV, M.E.

Novocaine in the treatment of internal diseases. Azerb. med. zhur. no. 8:3-7 Ag '60. (MIRA 13:8) (NOVOCAINE) (MEDICINE, INTERNAL)

a 🌪

NAZIROV, M.R., prof.; MELIKOVA, T.A., kand. med. nauk; EFENDIYEV, M., red.; MUSTAFAYEVA, 8., red.; MIRKISHIYEVA, 8., tekhn. red.

[Colitis and accompanying choloystitis and hepatocholecystitis] Kolity i soputatvuiushchie im kholetsistity i gepatokholetsistity. Beku, Azerbaidzhańskoe gos. izd-vo, 1961, 62 p. (MIRA 14:8) (INTESTINES-DISEASES) (GALL BLADDER-DISEASESS)

EFENDIYEV, M.E.; KUDARI, N.R.

Use of dionine electrophoresis in the treatment of bronchial asthma. Azerb. med. zhur. no.7:55-56 J1 '61. (MIRA 15:1) (ELECTROPHORESIS) (DIONINE) (ASTHMA)

EFENDIYEV, M.E., zasluzhennyy deyateli nauki, prof. (Baku)

Fictional literature as a historical source in the study of medicine in the Middle Ages. Klin.med. no.12:115-118 '61. (MIRA 15:9)

1. Iz kafedry propedevtiki vnutrennikh bolezney (zav. - zasluzhennyy deyatel' nauki prof. M.E. Efendiyev) Azerbaydzhanskogo gosudarst-vennogo meditsinskogo instituta imeni N. Narimanova (dir. - zasluzhennyy deyatel' nauki prof. B.A. Eyvazov).

(MEDICIENE) (MEDICIENE, MEDIEVAL)

EFFNDIfeV, M.F., prof., zaslu hennyy deyatel' nauki

History of the development of Intisu Health Resort. Shor. trud. Azerb. nauch.-issl. inst. kur. i fiz. metod. lech. no.9: 3-7 163. (MIRA 18:8)

EFENDIYEV, M.E.; KUDARI, N.G.; KHANLAROVA, Kh.

Diagnostic significance of the reaction for C-reactive protein and the iodine test. Azerb. med. zhur. 42 no.9:40-44 S 165.

(MIRA 18:11)

EFENDIYOV, M. M.

23412 MASHINA DLYa KOPKI Yam LOD POSADKU MNOGOLETNIKH MUL'TUR. VINODELIYa I VINOGRADARSTVO SSST, 1949, No. 7, c. 37-38.

SO: LETOPIS NO. 31, 1939.

ALIYEV, G.A., akademik; EFENDIYEV, M.K.

Viticultural Azerbaijan. Priroda 54 no.11:80-87 '65. (MIRA 18:11)

1. AN AzSSR (for Aliyev). 2. Ministerstvo sel'skogo khozyaystva Azerbaydzhanskoy SSR, Baku (for Efendiyev).

EFENDIYEV, M.R.

Preliminary report on the results of the introduction of ginseng into the "kataly National Forest of Azerbaijan S.S.R. Mat. k izuch. zhen'. i drug. lek. rast. Dal'. Vost. no.5:69-70'63. (MIRA 17:8)

1. Zakataliskiy gosudarstvennyy zapovednik.

NAZIROV, M.R., prof.; BARAYEV, Dah.; RFENDIYEV, M.Ye., red.; AKHMEDOV, M., red.; BAGIROVA, S., tekhn.red.

[Brucellosis; pathogenesis, clinical aspects, and treatment]
Brutselles; patogenes, klinika i lechenie. Baku, Azerbaidshanskoe
gos.izd-vo, 1960. 174 p. (MIRA 14:3)
(ERUCELLOSIS)